

## General Information

---

<b>Extended Product Type:</b>	BAM4
<b>Product ID:</b>	1SNK900001R0000
<b>EAN:</b>	3472599097254
<b>Catalog Description:</b>	BAM4 End Stop - Dark Grey
<b>Long Description:</b>	BAM4 End Stop - Dark Grey

---

## Categories

---

Products » Low Voltage Products and Systems » Connection Devices » Terminal Blocks Accessories » End Stops

---

## Ordering

---

<b>EAN:</b>	3472599097254
<b>Minimum Order Quantity:</b>	50 piece
<b>Customs Tariff Number:</b>	85369010

---

## Dimensions

---

<b>Product Net Width:</b>	10 mm
<b>Product Net Height:</b>	53.5 mm
<b>Product Net Length:</b>	35 mm
<b>Product Net Depth:</b>	35 mm
<b>Product Net Weight:</b>	14 g

---

## Container Information

---

<b>Package Level 1 Units:</b>	50 piece
<b>Package Level 1 Width:</b>	178 mm
<b>Package Level 1 Length:</b>	280 mm
<b>Package Level 1 Gross Weight:</b>	0.7 kg
<b>Package Level 1 EAN:</b>	3472599097254
<b>Package Level 2 Units:</b>	1000 piece
<b>Package Level 3 Units:</b>	24000 piece
<b>Product Packing Type:</b>	Bag

---

## Environmental

---

<b>Ambient Air Temperature:</b>	Operation -55 ... +110 °C Storage -55 ... +110 °C
<b>Resistance to Vibrations acc. to IEC 60068-2-6:</b>	Compliant
<b>RoHS Status:</b>	Following EU Directive 2002/95/EC August 18, 2005 and amendment

---

## Technical UL/CSA

---

<b>Flammability According to UL94:</b>	V0
--	----

---

## Additional Information

---

<b>Ambient Temperature:</b>	-5 ... +40 °C
<b>Color:</b>	Dark Grey
<b>Connection Type:</b>	Screw clamp
<b>Degree of Protection:</b>	acc. to IEC 60529, IEC 60947-1, EN 60529 Main Terminals IP20
<b>Function:</b>	End Stops
<b>IIT Publishing Status:</b>	Level 0 - Information enabled

**Insulation Material:** Polyamide

**Medium Description:** - Give efficient support to the SNK terminal blocks assemblies thanks to the BAM3 double gripping rail contact, - Ease the assemblies identification with the BAM3 marking location compatible with all SNK markers and labels.

**Mounting on DIN Rail:** TH35-7.5 (35 x 7.5 mm Mounting Rail) acc. to IEC 60715  
TH35-15 (35 x 15 mm Mounting Rail) acc. to IEC 60715

**Pollution Degree:** 3

**Product Main Type:** BAM4

**Product Name:** End Stop

**Recommended Screw Driver:** 5.5 mm

**RoHS Date:** 18 08 2005

**Spacing:** 10 mm

**Sub-Function:** Screw

**Sub-Function 2:** Screw

**Suitable For:** RGW2.5  
RGW2.5-PE  
RGW2.5-T  
RGW25-M5  
RGW25-M6  
RGW6  
RGW6-PE  
RGW6-R1  
RGW6-ST-1  
RGW6-T  
ZDK2.5-22  
ZDK4-22  
ZDP2.5-11  
ZDP2.5-22  
ZDP2.5-D1  
ZDP2.5-D2  
ZDS4-22  
ZDS4-22-R1  
ZK10  
ZK10-3P  
ZK10-PE  
ZK10-PE-3P  
ZK16  
ZK16-3P  
ZK16-PE  
ZK16-PE-3P  
ZK2.5  
ZK2.5-3P  
ZK2.5-4P  
ZK2.5-PE  
ZK2.5-PE-3P  
ZK2.5-PE-4P  
ZK2.5-S  
ZK2.5-SF  
ZK2.5-SF-R  
ZK2.5-SP  
ZK2.5-S-R1  
ZK4  
ZK4-3P  
ZK4-4P  
ZK4-PE  
ZK4-PE-3P  
ZK4-PE-4P  
ZK6  
ZK6-3P  
ZK6-PE  
ZK6-PE-3P  
ZP2.5  
ZP2.5-3P  
ZP2.5-4P  
ZP2.5-D1

ZP2.5-D2  
ZP2.5-PE  
ZP2.5-PE-3P  
ZP2.5-PE-4P  
ZP2.5-S  
ZP2.5-SP  
ZS10  
ZS10-PE  
ZS10-PE-R1  
ZS10-R1  
ZS10-S  
ZS10-SF  
ZS10-SF-R  
ZS10-SP  
ZS10-S-R2  
ZS10-ST  
ZS10-ST-1  
ZS10-ST-T4  
ZS16  
ZS16-PE  
ZS25  
ZS25-PE  
ZS4  
ZS4-PE  
ZS4-PE-R2  
ZS4-R1  
ZS4-R2  
ZS4-S  
ZS4-SF  
ZS4-SF1  
ZS4-SF1-R  
ZS4-SF1-T  
ZS4-SF-R  
ZS4-SF-T  
ZS4-SP  
ZS4-SP-R1  
ZS4-SP-T2  
ZS4-SP-T2-R1  
ZS4-S-R1  
ZS4-S-R2  
ZS4-S-R3  
ZS4-S-T  
ZS4-S-T-R1  
ZS6  
ZS6-3S  
ZS6-3S-PE  
ZS6-4S  
ZS6-4S-PE  
ZS6-PE  
ZS6-S  
ZS6-S-4S-T

---

## Certificates and Declarations (Document Number)

Data Sheet, Technical Information: 1SNK160026D0201  
RoHS Information: 1SND230498F0204

---

## Classifications

---

E-nummer: 2925146  
ETIM 4.0: EC001041 - End bracket for terminal block  
ETIM 5.0: EC001041 - End bracket for terminal block  
Object Classification Code: X

---