

Morini CCT LED

Under Cabinet Lighting



Product Information

The Morini CCT LED undershelf lights are ideal for lighting under shelves and under kitchen cabinets to illuminate shelves and working surfaces. Complete with mains power lead and fixing brackets. Can be linked either by plugging directly into the previous fitting or using an optional link lead.

Comes with a 2 year warranty for your peace of mind.



Product Features

- 2 year warranty
- Class II
- IP20
- Instant on
- 2x CCT 3000K/4000K LED
- Can be Linked
- Optional Link lead lengths available 150mm, 300mm, 500mm and 1000mm
- Non-Dimmable
- L70 40,000hrs

www.ksrlighting.com

Product Specification

Product Code	Product Description	Wattage (W)	ССТ (К)	Lumens (Im)	ССТ (К)	Lumens (Im)	Length (mm)
KSRCL194	Morini 3W 3000K/4000K LED Undershelf Light 250mm	3	3000	320	4000	330	250
KSRCL195	Morini 4W 3000K/4000K LED Undershelf Light 344mm	4	3000	455	4000	480	344
KSRCL196	Morini 7W 3000K/4000K LED Undershelf Light 571mm	7	3000	900	4000	950	571
KSRCL197	Morini 14W 3000K/4000K LED Undershelf Light 905mm	14	3000	1835	4000	1965	905
KSRCL198	Morini 18W 3000K/4000K LED Undershelf Light 1205mm	18	3000	2285	4000	2375	1205
Link Leads				<u>.</u>			
KSRCL144	150mm Link Lead						
KSRCL145	300mm Link Lead						
KSRCL146	500mm Link Lead						
KSRCL147	1000mm Link Lead						

220-240VAC
50/60Hz
-20°c~+40°c
< 0.5 sec
20

Construction

Body:	Polycarbonate
Diffuser:	Polycarbonate

Standards


BSEN60598-1:2021 Luminaires – Part 1: General requirements and tests

In Conformity with

LVD	Low voltage directive 2014/35/EU
EMC	Electromagnetic compatibility directive 2014/30/EU
ERP	Energy related products directive 2019/2020/EC
RoHS	Restriction of hazardous substances 2015/863/EU

www.ksrlighting.com

Product Dimensions



KSRCL194-KSRCL198

KSR Lighting is constantly developing and improving its products. For this reason, all product descriptions in this data sheet are intended as a general guide, and KSR may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this data sheet present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, KSR Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.

www.ksrlighting.com