



Product Information

The Morini CCT LED undershelf lights are ideal for lighting under shelves and under kitchen cabinets to illuminate shelves and working surfaces. Complete with mains power lead and fixing brackets. Can be linked either by plugging directly into the previous fitting or using an optional link lead.

Comes with a 2 year warranty for your peace of mind.



Product Features

- 2 year warranty
- Class II
- IP20
- Instant on
- 2x CCT 3000K/4000K LED
- Can be Linked
- Optional Link lead lengths available 150mm, 300mm and 500mm
- Non-Dimmable

Product Specification

Product Code	Product Description	Wattage (W)	CCT (K)	Lumens (lm)	CCT (K)	Lumens (Im)	Length (mm)
KSRCL195	Morini 4W 3000K/4000K LED Undershelf Light 344mm	4	3000	490	4000K	530	344
KSRCL196	Morini 7W 3000K/4000K LED Undershelf Light 571mm	7	3000	830	4000K	900	571
KSRCL197	Morini 14W 3000K/4000K LED Undershelf Light 905mm	14	3000	1450	4000K	1550	905
KSRCL198	Morini 18W 3000K/4000K LED Undershelf Light 1205mm	18	3000	1800	4000K	1950	1205
Link Leads							
KSRCL144	150mm Link Lead						
KSRCL145	300mm Link Lead						
KSRCL146	500mm Link Lead						

Nominal voltage	220-240VAC
Operating frequency	50/60Hz
Ambient temperature range	-20°c~+40°c
Start time	< 0.5 sec
IP rating	20

Construction

Body: Polycarbonate Diffuser: Polycarbonate

Standards

BSEN60598-1:2015 Luminaires – Part 1: General requirements and tests

In Conformity with

LVD Low voltage directive 2014/35/EU

EMC Electromagnetic compatibility directive 2014/30/EU ERP Energy related products directive 2009/125/EC RoHS Restriction of hazardous substances 2011/65/EU

Product Dimensions



KSRCL195-KSRCL198

KSR Lighting is constantly developing and improving its products. For this reason, all product descriptions in this data sheet are intended as a general guide, and KSR may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this data sheet present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, KSR Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.